

ECONYL is a premium fiber created from a polymer of unique structure to assure high chemical stability. The patented clover-like shape helps to preserve carpet buoyancy and prevent matting and deterioration. ECONYL makes cleaning easy with its bleach, stain and wear resistant features. The bleach resistant fiber allows for its rich, vibrant colors to withstand years of wear, cleaning and maintenance without fading the way other fibers do.

This 900 denier, solution dyed nylon offers excellent performance in commercial, healthcare and institutional environments. It is available in 138 colors.

For more information, visit www.econyl.com.



EN001



EN003



EN005



EN006



EN007



EN008



EN009



EN010



EN011



EN012



EN013



EN014




EN020



EN021



EN022




EN023



EN031



EN032



EN033




EN040



EN041



EN042



EN051



EN052



EN053



EN054



EN055



EN060



EN090



EN095



EN098



EN099



EN0100



EN0101



EN102



EN105



EN106



EN108



EN109



EN110



EN111



EN112



EN113



EN115



EN116



EN119



EN201



EN203



EN204



EN205



EN206



EN207



EN212



EN213



EN220



EN222



EN223



EN224



EN225



EN227



EN228



EN230



EN231



EN235



EN248



EN284



EN292



EN302



EN303



EN304



EN306



EN307



EN308



EN309



EN311



EN312



EN313



EN314




EN316




EN318



EN337



EN341



EN381



EN383



EN401



EN405



EN406



EN407



EN408



EN409



EN414



EN415



EN416



EN417



EN418



EN419



EN420



EN421



EN422



EN424



EN460



EN493



EN496



EN501



EN502



EN503



EN504



EN506




EN510




EN511




EN512




EN514



EN515



EN517



EN520



EN523



EN524




EN553




EN585



EN590



EN603



EN604



EN605



EN607



EN608




EN619



EN621



EN623




EN624



EN625



EN626



EN627



EN632



EN651



EN669



EN687



EN688



EN690